

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5,870,080".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:36
S2	42537	pointing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:37
S3	2	pointing adj device with IR adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:38
S4	0	pointing adj device with IR adj transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:41
S5	7	pointing adj device with IR adj transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:19
S6	81	pointing adj device and IR adj transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:24
S7	298	pointing adj device and (IR or infrared or electro-magnetic) adj transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:39
S8	11	pointing adj device with (IR or infrared or electro-magnetic) adj transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:25
S9	39	pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and ("345"/\$.ccls. or "178"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:57
S10	12	pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and ("345"/\$.ccls. or "178"/\$.ccls.) and request\$6 and file\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:21

S11	58	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and request\$6 and file\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:22
S12	16	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (GUI or graphical adj user adj interface) and (point\$6 and object\$6) and (request\$6 and file\$6 and (IR or infrared or electro-magnetic) adj transceiver and equip\$6 and device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:24
S13	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and for computer and to and ohter and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:26
S14	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and for and computer and to and ohter and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:26
S15	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and for computer and to and other and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:27
S16	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and for and computer and to and other and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:29

S17	78	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:28
S18	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and for and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:29
S19	78	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and pointing adj device and connect\$6 and computer and cable) and (pointing adj device and communicating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:29
S20	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and behalf-of and computer and to and other and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:29
S21	0	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and behalf-of and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:30
S22	20	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and connect\$6 and computer and cable) and (pointing adj device and communicating and other and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:31
S23	20	(pointing adj device and (IR or infrared or electro-magnetic) adj transceiver and (pointing adj device and connect\$6 and computer and cable)) and (pointing adj device and communicating and other and (IR or infrared or electro-magnetic) adj transceiver and equipped and device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:31

S24	30061	point\$6 adj device and (program\$6 and stor\$6 and medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:02
S25	23463	point\$6 adj device and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:02
S26	17707	point\$6 adj device and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:03
S27	1259	point\$6 adj device and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and IR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:05
S28	5442	point\$6 adj device and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:05
S29	137	(point\$6 adj device with (IR or infrared) and communicat\$6) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:06
S30	66	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) with (IR or infrared) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:08
S31	34	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) with (IR or infrared) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and graphic\$6 and object\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:08

S32	0	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) with (IR or infrared) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (graphic\$6 and object\$6) and (curesor\$6 and position\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:09
S33	19	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) with (IR or infrared) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (graphic\$6 and object\$6) and (cursor\$6 and position\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 12:47
S34	2	"5,870,080".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 11:56
S35	4	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) with (IR or infrared) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (graphic\$6 adj object\$6) and (cursor\$6 and position\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:08
S36	6	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor)and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (graphic\$6 adj object\$6) and (cursor\$6 and position\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:08
S37	6	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processor) and (program\$6 and stor\$6 and medium) and (execut\$6 and instruct\$6) and (transfer\$6 and data) and (graphic\$6 adj object\$6) and (cursor\$6 and position\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:31

S38	10	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processo) and (cursor\$6 adj position\$6) and over and (graphic\$6 adj object\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:40
S39	8	(point\$6 adj device with (IR or infrared) and communicat\$6) and (computer or processor or CPU or micro-processo) and (cursor\$6 adj position\$6) and over and (graphic\$6 adj object\$6) and (determine\$6 and (graphic\$6 adj object\$6) and represent\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:34
S40	10	(point\$6 adj device with (IR or infrared) and communicat\$6) and (cursor\$6 adj position\$6) and over and (graphic\$6 adj object\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:41
S41	10	(point\$6 adj device with (IR or infrared) and communicat\$6) and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and (graphic\$6 adj object\$6) and process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:42
S42	10	(point\$6 adj device with (IR or infrared) and communicat\$6) and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and process\$6 and application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:43
S43	10	point\$6 adj device with (IR or infrared) and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and process\$6 and application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:43
S44	325	point\$6 adj device and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and process\$6 and application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:43
S45	68	point\$6 adj device and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and process\$6 adj application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:44
S46	20	point\$6 adj device and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6) and process\$6 adj application) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:48

S47	54	point\$6 adj device and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6 or icon) and process\$6 adj application) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:00
S48	1	point\$6 adj device and (cursor\$6 adj position\$6) and over and ((graphic\$6 adj object\$6 or icon) and determin\$6 adj graphical adj (object\$6 or icon)) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:03
S49	5	point\$6 adj device and (cursor\$6 and position\$6) and over and ((graphic\$6 adj object\$6 or icon) and determin\$6 adj graphical adj (object\$6 or icon)) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:03
S50	5	point\$6 adj device and (cursor\$6 and position\$6 and over) and ((graphic\$6 adj object\$6 or icon) and determin\$6 adj graphical adj (object\$6 or icon)) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:15
S51	5	point\$6 adj device and (cursor\$6 and position\$6 and over) and (determin\$6 adj graphical adj (object\$6 or icon) and represent\$6) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:26
S52	127	point\$6 adj device and (cursor\$6 and position\$6 and over) and (determin\$6 and graphical adj (object\$6 or icon) and represent\$6) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:26
S53	17	point\$6 adj device and (cursor\$6 and position\$6 and over) and (determin\$6 and graphical adj (object\$6 or icon) adj represent\$6) and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 12:26